

Tier A Municipal Stormwater Regulation Program

Stormwater Pollution Prevention Team Members

Number of team members may vary.

Completed by: Christopher P. Statile

Title: Municipal Engineer

Date: 01/2/19

Municipality: Borough of Haworth

County: Bergen

NJPDES #: NJG_0147915

PI ID #: 201966

Stormwater Program Coordinator: Ann Fay

Title: Borough Administrator

Office Phone #: 201-384-1037

Emergency Phone #: same as above

Public Notice Coordinator: Ann Fay

Title: Borough Administrator/Clerk

Office Phone #: 201-384-4785

Emergency Phone #: same as above

Post-Construction Stormwater Management Coordinator: Christopher P. Statile, P.E.

Title: Municipal Engineer

Office Phone #: 201-337-7470

Emergency Phone #: same as above

Local Public Education Coordinator: Ann Fay

Title: Borough Administrator/Clerk

Office Phone #: 201-384-4785

Emergency Phone #: same as above

Ordinance Coordinator: Robert T. Regan

Title: Municipal Attorney

Office Phone #: 201-384-4785

Emergency Phone #: same as above

Public Works Coordinator: Christopher Simkins

Title: Borough Foremen of Public Works

Office Phone #: 201-384-1037

Emergency Phone #: same as above

Employee Training Coordinator: Christopher Simpkins

Title: Borough Foremen of Public Works

Office Phone #: 201-384-1037

Emergency Phone #: same as above

Other: Paul Renaud

Title: Construction Code Official

Office Phone #: 201-327-8824

Emergency Phone #: same as above

SPPP Form 2 - Public Notice

Municipality
Information

Municipality: Borough of Haworth

County: Bergen

NJPDES # : NJG0147915

PI ID #: 201966

Team Member/Title: Ann Fay, Borough Administrator/Clerk

Effective Date of Permit Authorization (EDPA): 3/27/2009

Date of Completion: 3/2005

Date of most recent update: 1/2/2019

Briefly outline the principal ways in which you comply with applicable State and local public notice requirements when providing for public participation in the development and implementation of your stormwater program.

For meetings where public notice is required under the Open Public Meetings Act ("Sunshine Law," N.J.S.A. 10:4-6 et seq.), the Borough of Haworth provides public notice in a manner that complies with the requirements of that Act. Also, in regard to the passage of ordinances, the Borough of Haworth provides public notice in a manner that complies with the requirements of N.J.S.A. 40:49-1 et seq.. In addition, for municipal actions (e.g. adoption of the municipal stormwater management plan) subject to public notice requirements in the Municipal Land Use Law (N.J.S.A. 40:55D-1 et seq.), The Borough of Upper Saddle River complies with those requirements.

SPPP Form 3 – New Development and Redevelopment Program

Municipality Information	Municipality: <u>Borough of Haworth</u>	County: <u>Bergen</u>
	NJPDES # : <u>NJG0147915</u>	PI ID #: <u>201966</u>
	Team Member/Title: <u>Christopher P. Statile, P.E., Municipal Engineer</u>	
	Effective Date of Permit Authorization (EDPA): <u>3/29/09</u>	
	Date of Completion: <u>March 15, 2005</u> Date of most recent update: <u>1/2/2019</u>	

Describe in general terms your post-construction stormwater management in new development and redevelopment program (post-construction program), and how it complies with the Tier A Permit minimum standard. This description must address compliance with the Residential Site Improvement Standards for stormwater management; ensuring adequate long-term operation and maintenance of BMPs (including BMPs on property that you own or operate); design of storm drain inlets (including inlets that you install); and preparation, adoption, approval, and implementation of a municipal stormwater management plan and municipal stormwater control ordinance(s). Attach additional pages as necessary. Some additional specific information (mainly about that plan and ordinance(s)) will be provided in your annual reports.

To control stormwater from new development and redevelopment projects throughout the Borough of Haworth (including projects we operate) we will do the following:

We are already ensuring that all new residential development and redevelopment projects that are subject to the Residential Site Improvement Standards for stormwater management (including NJDEP Stormwater Management rules, N.J.A.C. 7:8, referenced in those standards) are in compliance with those standards. Our planning/zoning board ensures such compliance before issuing preliminary or final subdivision or site plan approvals under the Municipal Land Use Law.

Should the Borough construct any new development on Borough property we will ensure adequate long-term operation and maintenance of BMP's for that project. We will also require any storm drain inlets that we install to comply with the design standard in Attachment C of our permit. Once the Borough's Municipal Stormwater Control Ordinance takes effect we will ensure operation and maintenance for any new development or redevelopment projects on our property by complying with the maintenance requirements in that ordinance.

Our planning board has reviewed and adopted the Municipal Stormwater Management Plan and the plan has been submitted to the Bergen County Planning Department for approval. A municipal stormwater control ordinance has been adopted by the Borough Council. The plan and the ordinance have been approved by the Bergen County Planning Department. the ordinance is administered by our planning/zoning board and code enforcement officer.

SPPP Form 4- Local Public Education Program

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # : 0147195 PI ID #: 201966

Team Member/Title: Ann Fay, Borough Administrator/Clerk

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Local Public Education Program

Describe your Local Public Education Program. Be specific on how you will distribute your educational information, and how you will conduct your annual event. Attach additional pages with the date(s) of your annual mailing and the date and location of your annual event.

The Borough will conduct a series of activities in an effort to accumulate 10 or more points in accordance with Attachment E of the the Tier A Municipal Stormwater Permit. Theses activities will include:

- 1) The Borough will distribute the NJDEP brochure to all residents annually with the Borough newsletter. The newsletter is mailed quarterly to all residents and businesses within the Borough. One mailing a year will include the brochure. Additional copies will be available at the Borough Hall and Borough library.*
- 2) At an annual Borough outing, a A public information booth will be present, where the NJDEP brochure and other educational materials will be available. In addition, the environmental commission, local watershed groups, and other environmental groups will be invited to set up booths.*
- 3) The Borough Engineer will conduct a yearly training program for all elected municipal officials. This program will educate them on Stormwater Management Rules and the steps the municipality has taken to minimize stormwater pollution.*
- 4) Once a year, the mayor will distribute a letter to every resident and business in the municipality highlighting the requirements and environmental benefist of the Pet Waste, Litter, Improper Disposal of Waste, Wilddlife Feeding, Yard Waste, Illicit Connection, Refuse Container and Private Storm Drain Inlet Retrofitting Ordinances. This letter will also include a link to the municipal website, where residents can read these ordinances.*

SPPP Form 5 – Storm Drain Inlet Labeling

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # : 0147915 PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Storm Drain Inlet Labeling

Describe your storm drain inlet labeling program, including your labeling schedule, the details of your long-term maintenance plan, and plans on coordinating with watershed groups or other volunteer organizations.

The storm drain inlet labeling program has been completed. The inlet labels will be checked and replaced as necessary during the Borough's annual cleaning of inlets program.

SPPP Form 6 – MS4 Outfall Pipe Mapping

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # : 0147915 PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Explain how you will prepare your map (include its type and scale, and the schedule for the mapping process). Who will prepare your map (e.g., municipal employees, a consultant, etc.)?

The end of all outfall pipes operated by the Borough of Haworth were mapped using a GPS unit by the Borough Engineer. The mapping displays all outfall pipe locations, using a alphanumeric identifier at a scale of 1 inch = 100 feet. All waterbodies receiving outfall pipe discharges have been identified.

SPPP Form 7 – Illicit Connection Elimination Program

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # : 0147915 PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Describe your Illicit Connection Elimination Program, and explain how you plan on responding to complaints and/or reports of illicit connections (e.g., hotlines, etc.). Attach additional pages as necessary.

The Borough has conducted an initial inspection of all of our outfall pipes during the mapping process. The NJDEP Illicit Connection Inspection Report Form was used to conduct these inspections and each of these forms is kept with our SPPP records. We will continue to monitor these outfalls and any outfall pipes that are found to have a dry weather flow or evidence of an intermittent non-stormwater flow will be rechecked to locate the illicit connection. If we are able to locate the illicit connect (and the connection is within the Borough of Haworth) we will cite the responsible party for being in violation of our Illicit Connection Ordinance, and we will have the collection eliminated immediately. If, after the appropriate amount of investigations, we are unable to locate the source of the illicit connection, we will submit the Closeout Investigation Form with our Annual Inspection and Certification. If an illicit connection is found to originate from another public entity, the Borough of Haworth will report the illicit connection to the NJDEP.

The Borough of Haworth utilizes the Bergen County 24-hour emergency HAZMAT number for reporting spills and illegal dumping. This hotline will also be made available for reporting illicit connections..

SPPP Form 8 – Illicit Connection Records

Municipality Information	Municipality: <u>Borough of Jersey City</u> "*****" County <u>Bergen</u> NJPDES # : <u>0149;37</u> PI ID #: <u>423;88</u> Team Member/Title: <u>Christopher Simkins, DPW Foreman</u> Effective Date of Permit Authorization (EDPA): <u>3/4; /2009</u> Date of Completion: <u>5/2005</u> Date of most recent update: <u>1/2/19</u>
---------------------------------	---

Jan. 1, 2016 - Dec 31, 2017 <i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>
Total number of inspections performed this year? <u>24</u>
Number of outfalls found to have a dry weather flow? <u>0</u>
Number of outfalls found to have an illicit connection? <u>0</u>
How many illicit connections were eliminated? <u>N/A</u>
Of the illicit connections found, how many remain? <u>N/A</u>

Jan. 1, 2018 - Dec 31, 2018 <i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>
Total number of inspections performed this year? <u>20</u>
Number of outfalls found to have a dry weather flow? <u>0</u>
Number of outfalls found to have an illicit connection? <u>0</u>
How many illicit connections were eliminated? <u>N/A</u>
Of the illicit connections found, how many remain? <u>N/A</u>

Jan. 1, 2019 - Dec 31, 2019 <i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>
Total number of inspections performed this year? <u> </u>
Number of outfalls found to have a dry weather flow? <u>0</u>
Number of outfalls found to have an illicit connection? <u>0</u>
How many illicit connections were eliminated? <u>N/A</u>
Of the illicit connections found, how many remain? <u>N/A</u>

Jan. 1, 2020 - Dec 31, 2020 <i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>
Total number of inspections performed this year? <u> </u>
Number of outfalls found to have a dry weather flow? <u>0</u>
Number of outfalls found to have an illicit connection? <u>0</u>
How many illicit connections were eliminated? <u>N/A</u>
Of the illicit connections found, how many remain? <u>N/A</u>

SPPP Form 8 – Illicit Connection Records

Municipality Information	Municipality: <u>Borough of Jersey City</u> "*****" County <u>Bergen</u> NJPDES # : <u>0149;37</u> PI ID #: <u>423;88</u> Team Member/Title: <u>Vgo Mgr, Public Works Superintendent</u> Effective Date of Permit Authorization (EDPA): <u>3/4; /2009</u> Date of Completion: <u>5/2005</u> Date of most recent update: <u>6/; /2017</u>
---------------------------------	--

Jan. 1, 2013 - Dec 31, 2013	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>68</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	

Jan. 1, 2014 - Dec 31, 2014	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>24</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	

Jan. 1, 2015 - Dec 31, 2015	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>26</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	

Jan. 1, 2016 - Dec 31, 2016	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>22</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	

SPPP Form 8 – Illicit Connection Records

Municipality Information	Municipality: <u>Borough of Haworth County Bergen</u> NJPDES # : <u>0147915</u> PI ID #: <u>201966</u> Team Member/Title: <u>Christopher Simkins/Foreman of Public Works</u> Effective Date of Permit Authorization (EDPA): <u>3/29/2009</u> Date of Completion: <u>3/2005</u> Date of most recent update: <u>1/2/2019</u>
Prior to May 2, 2006	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>0</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	
May 2, 2006 . May 1, 2007	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>0</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	
May 2, 2007 . May 1, 2008	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>17</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	
May 2, 2008 . May 1, 2009	
<i>Note: Attach a copy of each illicit connection report form for outfalls found to have a dry weather flow.</i>	
Total number of inspections performed this year? <u>70</u>	
Number of outfalls found to have a dry weather flow? <u>0</u>	
Number of outfalls found to have an illicit connection? <u>0</u>	
How many illicit connections were eliminated? <u>N/A</u>	
Of the illicit connections found, how many remain? <u>N/A</u>	

SPPP Form 9 – Yard Waste Ordinance/Collection Program

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # :0147915 PI ID #: 20196

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA):3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Please describe your yard waste collection program. Be sure to include the collection schedule and how you will notify the residents and businesses of this schedule. Attach additional pages as necessary.

The Borough has a yard waste collection program by the Department of Public Works. The schedule is available on the Borough's website. Ordinance No. 810 prohibits dumping on public property, and calls for fines at \$250.00 to \$500.00

SPPP Form 10 - Ordinances

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # : 0147915 PI ID #: 201966

Team Member/Title: Robert T. Regan, Municipal Attorney & Code Enforcement Official

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

For each ordinance, give the date of adoption. If not adopted, explain the development status:

Pet Waste 9/14/04

Are information sheets regarding pet waste distributed with pet licenses? Y () N ()

Litter 9/14/04

Improper Waste Disposal 9/14/04

Wildlife Feeding 9/14/04

Yard Waste 9/14/04

Illicit Connections 9/14/04

How will these ordinances be enforced?

Ordinances will be enforced by our code enforcement officers and local police department. Violators of these ordinances will be issued a written warning for first time offenses and penalties will be issued for subsequent offense .

SPPP Form 11 – Storm Drain Inlet Retrofitting

Municipality Information

Municipality: Borough of Haworth County Bergen
 NJPDES # :0147915 PI ID #: 201966
 Team Member/Title: Christopher Simkins/Foreman of Public & Christopher P. Statile, P.E., Engineer
 Effective Date of Permit Authorization (EDPA):3/29/2009
 Date of Completion: 3/2005 Date of most recent update: 1/2/2019

What type of storm drain inlet design will generally be used for retrofitting?

All projects in the Borough of Borough of Haworth will use the NJDOT bicycle safe grate style and (if needed) a curb piece with openings no greater than 2 inches across the smallest dimension in accordance with Attachment C of our Permit

Repaving, repairing, reconstruction or alteration project name	Projected start date	Start date	Date of completion	# of storm drain inlets	# of storm drains w/ hydraulic exemptions
<i>2014 Road Program</i>	<i>June 2014</i>	<i>June 2014</i>	<i>August 2014</i>	6	
<i>2015 Road Program</i>	<i>June 2015</i>	<i>June 2015</i>	<i>August 2015</i>	7	
<i>2016 Road Program</i>	<i>June 2016</i>	<i>June 2016</i>	<i>August 2016</i>	10	
<i>2017 Road Program</i>	<i>June 2017</i>	<i>June 2017</i>	<i>August 2017</i>	2	
<i>2018 Road Program</i>	<i>July 2018</i>	<i>August 2018</i>	<i>August 2018</i>	8	

Are you claiming any alternative device exemptions or historic place exemptions for any of the above projects? Please explain:

At this time the Borough of Haworth does not operate any alternative devices within the municipality. We do not plan on installing any such devices or repaving, repairing or reconstruction projects . We also so not plan on claiming any historic place exemptions.

SPPP Form 12 – Street Sweeping and Road Erosion Control Maintenance

Municipality
Information

Municipality: Borough of Haworth County: Bergen

NJPDES # :0147915 PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Street Sweeping

Please describe the street sweeping schedule that you will maintain.

(NOTE: Attach a street sweeping log containing the following information: date and area swept, # of miles swept and the total amount of materials collected.)

The Borough of Haworth has evaluated all of its streets to determine which areas will need to be swept monthly. The Borough intends on maintaining its existing street sweeping program for all streets once a year..

Road Erosion Control Maintenance

Describe your Road Erosion Control Maintenance Program, including inspection schedules. A list of all sites of roadside erosion and the repair technique(s) you will be using for each site should be attached to this form.

(NOTE: Attach a road erosion control maintenance log containing the following information: location, repairs, date)

The Borough of Haworth will use the Public Works Department to monitor all their roads and streets for erosion problems during normal patrols. All identified road erosion problems will be reported to the Superintendent. During quarterly SPPP Team meetings, identified areas of erosion will be discussed and repairs prioritized. All maintenance personnel will then be assigned to the areas of concern, and the areas identified to have road erosion problems will be repaired in accordance with the Standards for Soil Erosion and Sediment Control in New Jersey. All maintenance personnel will maintain an inspection log, and the Superintendent will maintain a list of all repairs and the dates completed. The status of the Road Erosion Control Maintenance Program will be included in the Annual Report and Recertification.

SPPP Form 13 – Stormwater Facility Maintenance

Municipality
Information

Municipality: Borough of Haworth County: Bergen

NJPDES # :0147915 PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Please describe your annual catch basin cleaning program and schedule. Attach a map/diagram or additional pages as necessary.

Annually all catch basins in the Borough are inspected for repair and cleanings. If, at the time of inspection, no sediment, trash, or debris is observed in the catch basin, then the catch basin will not be cleaned. Maintenance will be scheduled for those catch basins that are in disrepair.

Please describe your stormwater facility maintenance program for cleaning and maintenance of all stormwater facilities operated by the municipality. Attach additional pages as necessary.

(NOTE: Attach a maintenance log containing information on any repairs/maintenance performed on stormwater facilities to ensure their proper function and operation.)

The Borough of Haworth has a stormwater facility maintenance program to insure all stormwater facilities operated by the Borough function properly. The Borough of Haworth operates the following: catch basins, storm drains, swales, infiltration basins, and buffer strips. These facilities will be inspected annually to ensure that they are functioning properly. In high risk areas, preventative maintenance will be performed on all stormwater facilities to ensure that they do not begin to fail.

SPPP Form 14 - Outfall Pipe Stream Scouring Remediation

Municipality
Information

Municipality: Borough of Haworth County: Bergen

NJPDES # :0147915 PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA): 3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

Describe your stormwater outfall pipe scouring detection, remediation and maintenance program to detect and control active, localized stream and stream bank scouring. Attach additional pages as necessary.

(NOTE: Attach a prioritized list of sites observed to have outfall pipe stream and stream bank scouring, date of anticipated repair, method of repair and date of completion.)

Outfall pipes have been numbered and mapped. During the inspections for illicit connections each outfall pipe will be inspected for signs of scouring. A prioritized list of repairs will be prepared. Repairs will be made in accordance with the Standards for Soil Erosion and Sediment Control in New Jersey.

Annually each repair area will be reinspected to ensure that scouring has not resumed.

SPPP Form 15 – De-icing Material Storage

Municipality
Information

Municipality: Borough of Haworth County Bergen

NJPDES # :0147915PI ID #: 201966

Team Member/Title: Christopher Simkins/Foreman of Public Works

Effective Date of Permit Authorization (EDPA):3/29/2009

Date of Completion: 3/2005 Date of most recent update: 1/2/2019

De-icing Material Storage

Describe how you currently store your municipality's de-icing materials, and describe your inspection schedule for the storage area. If your current storage practices do not meet the de-icing material storage SBR describe your construction schedule and your seasonal tarping interim measures. If you plan on sharing a storage structure, please include its location, as well as a complete list of all concerned public entities. If you store sand outdoors, describe how it meets the minimum standard.

The Borough of Haworth currently stores its de-icing salt in a permanent structure with an impermeable floor. The structure is completely walled and roofed and is located within the Department of Public Works site at 261 Park Street. Sand is stored in the open at the Department of Public Works site.

SPPP Form 67 – Standard Operating Procedures

Municipality Information	Municipality: <u>Borough of Haworth County Bergen</u> NJPDES # : <u>0147915</u> PI ID #: <u>201966</u> Team Member/Title: <u>Christopher Simkins/Foreman of Public Works</u> Effective Date of Permit Authorization (EDPA): <u>3/29/2009</u> Date of Completion: <u>3/2005</u> Date of most recent update: <u>1/2/2019</u>
---------------------------------	--

BMP	Date SOP went into effect	Describe your inspection schedule
Fueling Operations (including the required practices listed in Attachment D of the permit)	<i>March 2005</i>	<i>The one (1) refueling location within the Department of PublicWorks site off of Park Street will be inspected once a month.</i>
Vehicle Maintenance (including the required practices listed in Attachment D of the permit)	<i>March 2005</i>	<i>Monthly inspections will be held to ensure that the SOP is being met. Vehicles are maintained by an outside inspection service.</i>
Good Housekeeping Practices (including the required practices listed in Attachment D of the permit) Attach inventory list required by Attachment D of the permit.	<i>March 2005</i>	<i>Monthly inspections of all municipal maintenance yards and ancillary operations will be conducted.</i>

SPPP Signature Page

Municipality
Information

Municipality:Borough of Haworth County:Bergen

NJPDES # : NJG0147915 PI ID #:201966

Team Member/Title:Christopher P. Statile, P.E., Borough Engineer

Effective Date of Permit Authorization (EDPA):3/29/2009

Date of Completion:3/2005 Date of most recent update: 1/2/2019

I certify that this SPPP includes all of the information and items identified in Attachment A of the Tier A Municipal Stormwater General Permit. All attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for purposely, knowingly, recklessly, or negligently submitting false information.+

(Signature)

(Date)

Ann Fay
(Print Name)

Borough Administrator
(Title)

(NOTE: A new SPPP signature page should be attached each time the SPPP is updated or modified, excluding data entries. Previous SPPP signature pages shall be retained as part of the SPPP.)



search

DWQ Topics ▼

DWQ Programs & Units ▼

Bureau of Nonpoint Pollution Control

[Find Forms](#) | [Contact Us](#)

Water Pollution Management Element

Bureau of Nonpoint Pollution Control



Industrial Stormwater Permitting Program



Municipal Stormwater Regulation Program

- Tier A Municipalities
- Tier B Municipalities
- Public Complex
- Highway Agency
- Case Manager List
- Emergency Snow Removal and Disposal Policy
- De-Icing Storage Policy
- Cleanwater Multimedia
- Stormwater Training
- TMDL Lookup

Companion Links

- www.cleanwaternj.org
- www.njstormwater.org



Onsite Wastewater Management Program



Discharge to Ground Water Permitting Program



Stormwater Management



Green Infrastructure in New Jersey



General Permits



Individual Permits

Municipality and County

Haworth Borough
Bergen County

Total Maximum Daily Load(TMDL) Information for Selected Municipality:

Applicable Stream TMDL(s)

- Total Maximum Daily Loads for Fecal Coliform to Address 32 Streams in the Northeast Water Region

Fecal Coliform - 2003 : Tenakill Brook : [View the TMDL Document](#)

- Amendment to the Northeast Water Quality Management Plan to Establish a Total Maximum Daily Load for Nickel in the Hackensack River

Nickel - 2000 : Hirshfeld Brook : [View the TMDL Document](#)

Applicable Lake TMDL(s)

None

Applicable Shellfish TMDL(s)

None



Haworth Outfall Map

